SEE THE NEW ECO-AEROSOL RANGE!

Go Green – Go safe !

Unique propellant technology provides a CO2 neutral and working environment safe alternative to conventional spray products.

...AT NO EXTRA COST !

Using only 4% propellant Eco Aerosols contains a full 96% active ingredient - Much more value for your money. On top of this you are saving on transport and storage as well as reducing your carbon footprint.

For further product information and safety data sheets please visit our website: **www.eco-aerosols.co.uk**

MULTI OIL PRO

- General purpose lubricant
- Multipurpose problem solver for the industry and at home
- Displaces moisture and leaves a protective film
- Releases seized parts
- Biodegradable product

224593

ORDER CODE **2017445X**

OFFER PRICE £7.89

SILICONE PRO

- Multi purpose silicone lubricant spray
- Release agent for rubber and plastics, water repellant, transparent and anti-static

224605

OFFER PRICE £7.61

ORDER CODE **2017452X**

MULTI OIL PTFE

- High performance PTFE oil
- 10 x longer lasting than oil
- Extremely low friction and water repellant
- 100% non conductive safe to use on plastic and rubber

224617

ORDER CODE **2017446X**

OFFER PRICE £12.19

RUST AWAY PRO

- Penetrating release oil, cuts through corrosion and protects against further corrosion
- Loosens rusted compounds
- Safe to use on plastics and rubber

224595

ORDER CODE **2017450X**

OFFER PRICE £8.06

UNI GREASE PRO

- PTFE grease for industrial, auto-motive and marine applications
- Excellent lubrication qualities
- Extremely water resistant
- Wide temperature range

224614

ORDER CODE **2017449X**

OFFER PRICE £10.71

STOP FIRE

- Fire extinguishing aerosol with 90 second spray time
- Use on wood, paper, fabric, plastics etc.
- Activate and deactivate at will - no need to empty completely
- Suitable for toolbox, office, car and at home
- Ideal for plumbers and service engineers

224627

ORDER CODE **2017456X**

OFFER PRICE £11.14

CLEAN IT PRO

- Heavy duty cleaner
- Removes oil, grease and tar
- Dissolves oil dirt and break dust
- Suitable for use on plastics and rubber
- 100% biodegradable.

224600

OFFER PRICE £8.06

ORDER CODE **2017451X**

SEEK THE LEAK

- Gas and air leak detector
- Non-flammable
- Approved for gas, co2, oxygen and compressed air
- High cling

224623

ORDER CODE **2017454X**

OFFER PRICE £9.58

CONTACT SPRAY

- Electrical contact cleaner for cleaning electrical components
- Fast drying
- Safe to use on plastic and rubber
- Prevents contact bounce

224621

ORDER CODE **2017453X**

OFFER PRICE £8.19

CHAIN LUBE PRO

- Chain and cable PTFE lubricant
- Penetrates links and pins with high cling effect
- Protects against corrosion
- Wide temperature range

OFFER PRICE £14.95

ORDER CODE **2017447X**

ALL SPRAYS 10% off

Gadus S3 V100 2

- Shell Gadus S3 V100 is a premium multipurpose grease that you can rely on to provide excellent wear protection and long bearing life for high-speed bearings operating at high temperatures and carrying low loads
- It uses a lithium complex thickener to provide excellent mechanical stability
- Widely recognised and listed by leading equipment makers

224667

Order code	Size (kg)	Offer price
2024235X	18	115.59
2024236X	400g	3.86

Gadus S3 V220C 2

- A premium, full EP multipurpose grease for high operating temperatures that you can rely on to provide excellent wear protection and long bearing life for your moderate- to high-speed bearings
- Shell Gadus S3 V220 C has a lithium-complex thickener for greater mechanical stability to keep the grease where it is needed
- Widely recognised and listed by leading equipment makers

224668

Order code	Size (kg)	Offer price
2024240X	18	**116.15**
2024241X	50	**318.72**
2024242X	400g	**3.71**

Gadus S5 V100 2

- A lithium complex grease based on synthetic base oils, containing antioxidants, EP, wear and rust preventing additives
- The product contains a special friction modifier which is suitable for high speed bearings, taper roller bearings and cylindrical bearings, type NJ, NUP plus applications with an angle ring

224669

Order code	Size (kg)	Offer price
2024249X	18	**311.23**
2024250X	380g	**8.88**

Gadus S2 V220 0/00

- A full extreme pressure (EP), multipurpose grease that you can rely on to provide good wear protection and bearing life for your moderate - to high-speed bearings at moderate operating temperatures
- Widely recognised and listed by leading equipment makers

224665

Order code	Size (kg)	Grade	Offer price
2024211X	18	0	**85.70**
2024212X	18	00	**85.70**

Gadus S2 V220 2

- Shell's most popular grease
- A full extreme pressure (EP), multipurpose grease that you can rely on to provide good wear protection and bearing life for your moderate - to high-speed bearings at moderate operating temperatures
- Widely recognised and listed by leading equipment makers

224664

Order code	Size (kg)	Offer price
2024218X	18	**85.70**
2024219X	50	**218.49**
2024220X	400g	**2.58**

Gadus S2 V220 1

Shell Gadus S2 V220 is Shell's most popular grease. It is a full extreme pressure (EP), multipurpose grease that you can rely on to provide good wear protection and bearing life for your moderate - to high-speed bearings at moderate operating temperatures. It is widely recognised and listed by leading equipment makers.

222986

Order code	Size (kg)	Price each
20-24213	180	**732.96**
20-24214	18	**85.70**
20-24215	50	**233.36**

Tellus S2 M 32

- Uses Shell's unique technology to provide reliable protection and performance in most manufacturing and many mobile equipment operations
- Under hot and heavy load conditions, it is a fluid you can rely on to help prevent the damaging deposits and sludge that can make your system less efficient.
- Widely recognised and approved by leading equipment manufacturers.

224670

Order code	Size (litres)	Offer price
2024386X	209	**419.66**
2024387X	20	**48.87**

Tellus S2 M 46

- Uses Shell's unique technology to provide reliable protection and performance in most manufacturing and many mobile equipment operations
- Under hot and heavy load conditions, it is a fluid you can rely on to help prevent the damaging deposits and sludge that can make your system less efficient
- Widely recognised and approved by leading equipment manufacturers

224671

Order code	Size (litres)	Offer price
2024390X	209	**419.66**
2023545X	20	**50.82**

Tellus S2 M 46

- Uses Shell's unique technology to provide reliable protection and performance in most manufacturing and many mobile equipment operations
- Under hot and heavy load conditions, it is a fluid you can rely on to help prevent the damaging deposits and sludge that can make your system less efficient
- Widely recognised and approved by leading equipment manufacturers

224673

Order code	Size (litres)	Offer price
2024394X	209	**443.14**
2024395X	20	**51.69**

Omala S2 G 220

- Formulated to provide extra protection and performance for industrial gears
- Under extreme pressure conditions, it is an oil that you can rely on to provide long life, and to keep your gears working efficiently by offering good corrosion protection and water separation
- Widely recognised and approved by leading equipment manufacturers

224678

Order code	Size (litres)	Offer price
2024292X	209	**545.85**
2024293X	20	**62.97**

Omala S2 G 150

- Formulated to provide extra protection and performance for industrial gears
- Under extreme pressure conditions, it is an oil that you can rely on to provide long life, and to keep your gears working efficiently by offering good corrosion protection and water separation.
- Widely recognised and approved by leading equipment manufacturers

224677

Order code	Size (litres)	Offer price
2024288X	209	**539.98**
2024289X	20	**64.53**

Omala S2 G 320

- Formulated to provide extra protection and performance for industrial gears
- Under extreme pressure conditions, it is an oil that you can rely on to provide long life, and to keep your gears working efficiently by offering good corrosion protection and water separation
- Widely recognised and approved by leading equipment manufacturers

224679

Order code	Size (litres)	Offer price
2024295X	209	**539.98**
2024296X	20	**62.97**

Tonna S3 M 68

- Shell's top-performing oil specially designed for the lubrication of machine tool slides, tables and feed mechanisms
- With excellent frictional properties, very good slideway adhesion and excellent anti-wear performance, it can be relied on to provide efficient machining accuracy and reliable protection for your equipment, especially in high precision, low-speed machines and combined lubrication systems
- It features highly refined mineral oils and special additives to enhance the crucial property of adhesion and reduce stick-slip

224675

Order code	Size (litres)	Offer price
2024457X	209	**537.04**
2024458X	20	**60.77**

Tonna S3 M 32

- Shell's top-performing oil specially designed for the lubrication of machine tool slides, tables and feed mechanisms
- With excellent frictional properties, very good slideway adhesion and excellent anti-wear performance, it can be relied on to provide efficient machining accuracy and reliable protection for your equipment, especially in high precision, low-speed machines and combined lubrication systems
- It features highly refined mineral oils and special additives to enhance the crucial property of adhesion and reduce stick-slip

224674

Order code	Size (litres)	Offer price
2024453X	209	**537.04**
2024454X	20	**60.77**

Tonna S3 M 220

- Shell's top-performing oil specially designed for the lubrication of machine tool slides, tables and feed mechanisms
- With excellent frictional properties, very good slideway adhesion and excellent anti-wear performance, it can be relied on to provide efficient machining accuracy and reliable protection for your equipment, especially in high precision, low-speed machines and combined lubrication systems
- It features highly refined mineral oils and special additives to enhance the crucial property of adhesion and reduce stick-slip

224676

Order code	Size (litres)	Offer price
2024460X	209	**537.04**
2023546X	20	**63.20**

Corena S4 R 68

- The ultimate Shell sliding-vane and screw rotary air compressor oil
- It uses an advanced, synthetic, ashless-technology formulation to provide extended oil and equipment life
- It is an oil that you can rely on to help keep your highest temperature and pressure rotary air compressors working efficiently for longer, and thus provide enhanced compressed air availability for increased productivity
- Widely recognised and approved by leading equipment manufacturers

224680

Order code	Size (litres)	Offer price
2024189X	20	**242.44**

Corena S4 P 68

- The ultimate Shell reciprocating air compressor oil
- Uses an advanced, synthetic, ashless-technology formulation to provide extended oil and equipment life
- It is an oil that you can rely on to help keep your highest temperature and pressure reciprocating air compressors working efficiently for longer and thus provide enhanced compressed air availability for increased productivity
- Widely recognised by leading equipment manufacturers

224681

Order code	Size (litres)	Offer price
2024190X	20	**187.32**

Corena S4 P 100

- The ultimate Shell reciprocating air compressor oil
- Uses an advanced, synthetic, ashless-technology formulation to provide extended oil and equipment life
- An oil that you can rely on to help keep your highest temperature and pressure reciprocating air compressors working efficiently for longer and thus provide enhanced compressed air availability for increased productivity
- Widely recognised by leading equipment manufacturers

224682

Order code	Size (litres)	Offer price
2024191X	20	**187.32**

SEE THE NEW HAND TOOL & STORAGE RANGE!

20% off XT I BEAM LEVELS

- Light weight aluminium frame
- Makes it more comfortable to us
- Block vials for best durability and accuracy to 1mm/m
- Shock resistant end over moulded caps

224543

Order code	Length (cm)	Length (in)	Offer price
2024884X	60	24	**20.40**
2024885X	120	48	**27.15**
2024886X	180	72	**47.60**

XT I BEAM MAGNETIC LEVELS

224544

- Light Weight aluminium magnetic frame
- Makes it more comfortable to us
- Block vials for best durability and accuracy to 1mm/m
- Shock resistant end over moulded caps

Order code	Length (cm)	Length (in)	Offer price
2024887X	60	24	**22.45**
2024888X	120	48	**29.90**
2024889X	180	72	**52.35**

20% off 19" TOOL TOTE AND ORGANISER



224539

- A 19" tote with detachable Organiser for small parts
- Removable dividers for tools and small parts
- Long Metal carry handle for easy and better grip - locks in place for carrying and tilts down for storage
- Heavy duty anti rust metal lockable latches and metal hinges for extra strength and durability

ORDER CODE **2024895X** OFFER PRICE £18.20

TOOLBOX

- Practical plastic toolbox suitable for general maintenance use
- Removable tote tray
- Carry handle and lock

224533

Order code	Dimensions H x W x D (mm)	Offer price
2515142X	170 x 290 x 127	**3.85**
2515143X	210 x 395 x 220	**11.62**
2515144X	229 x 442 x 223	**13.32**

20% off SLL360 ROTATING LASER LEVEL

- Projects 360 self levelling line
- Ideal for decorating and room layout
- Automatic self levelling
- Laser line at 360 plus 1 vertical line allows a cross line on front of the unit
- Locking pendulum
- Wall mounted bracket for fine adjustment
- No pulse diode

OFFER PRICE £170.00

ORDER CODE **2024890X**

1000V 10PC MULTIBIT SCREWDRIVER SET

224540

- VDE & GS Certified
- Large soft grip handles
- Small for fast delicate work, Large for high torque loads
- 8 interchangeable sheathed blades
- Ideal for terminals, fuseboards and electrical connections
- Tips are shot blasted for corrosion protection
- Nylon storage pouch for storage

ORDER CODE **2024891X** OFFER PRICE £23.75



TELESCOPIC LADDER

- Telescopic extension ladder suitable for the professional workplace
- This ladder can be used at different heights up to a maximum of 3.3m
- Fitted with Autosteps locking system for ease of use when closing the ladder
- Closed height 0.78m
- Maximum load capacity 150kg
- Conforms to EN131

224537

OFFER PRICE £149.95

ORDER CODE **2515145X**

5% off MODULAR ROLLING WORKSHOP

- Compact combination modular rolling workshop
- Contains toolbox with drawer unit, two drawer storage unit with removable dividers and flip bin with back pocket for heavier items
- Aluminium telescopic back handle can be lowered for storage
- Heavy duty wheels for on site maneuverability

224536

ORDER CODE **2515106X** OFFER PRICE £77.00

20% off 18MM CARBIDE EDGE SNAP OFF KNIFE BLADES

220171

- 5 times Sharper for Longer Life
- New Longest lasting blades on the jobsite
- Improved durability and wear
- Lasts more than 5 times longer than competitive utility blades
- New Tungsten Carbide power deposited through a high power laser
- Tungsten Carbide durability and hardness is second only to diamond
- Only a carbide edge allows the rest of the blade to remain flexible

Order code	Pack Qty	Offer price
2024892X	5	**4.15**
2024893X	10	**6.90**
2024894X	50	**27.30**

25% off EVO UNIVERSAL HANDSAW

- Radically new hand saw concept
- New handle position enables more even cut distribution along blade
- Truly a Universal saw due to new Triple Ground Tooth configuration
- Improved balance enables quicker cutting with less effort
- This product has been developed entirely through end user research

210320

Order code	Length (in)	TPI	Offer price
2007102X	21	9	**8.60**

WOODSAW, KNIFE AND TAPE DEAL

- Bi-Material Handle Woodsaw deal including a retractable knife and 5m/16ft Tylon tape

224541

Order code	Description	Offer price
2024896X	20" Saw Deal	**15.15**
2024897X	22" Saw Deal	**16.00**

25% off LIGHTWEIGHT HACKSAW

- Easy tensioning front adjustment tightens to 20,000psi
- Ergonomic rear and front grips
- Comes with 24tpi bi-metal blade

224564

OFFER PRICE £10.30

ORDER CODE **2015219X**

SEE THE NEW FASTENERS PRODUCT RANGE!

COLOURED CABLE TIES

- Manufactured from Nylon PA66
- Resistant to most oils, grease, petrol and detergents
- Working temperature -40°C to +85°C
- UL approved
- Available in packs of 100

13% off

224523

Dimensions

Length x width (mm)	Blue Order code	Green Order code	Orange Order code	Red Order code	Yellow Order code	Price per pack
100 x 2.5	2514975X	2514980X	2514985X	2514990X	2514995X	**0.65**
140 x 3.6	2514976X	2514981X	2514986X	2514991X	2514996X	**1.50**
200 x 4.8	2514977X	2514982X	2514987X	2514992X	2514997X	**2.15**
300 x 4.8	2514978X	2514983X	2514988X	2514993X	2514998X	**3.01**
370 x 4.8	2514979X	2514984X	2514989X	2514994X	2514999X	**4.07**

STANDARD CABLE TIES

13% off

- Manufactured from Nylon PA66
- Resistant to most oils, grease, petrol and detergents
- Working temperature -40°C to +85°C
- UL approved
- Available in natural and black in packs of 100

224531

Dimensions

length x width (mm)	Natural Order code	Black Order code	Price per pack
100 x 2.5	272410X	272415X	**0.72**
120 x 4.8	2514941X	2514959X	**1.24**
140 x 3.6	272411X	272416X	**1.70**
160 x 2.5	2514942X	2514960X	**0.65**
160 x 4.8	2514943X	2514961X	**1.04**
200 x 2.5	2514944X	2514962X	**0.63**
200 x 3.6	2514945X	2514963X	**1.11**
200 x 4.8	272412X	272417X	**2.90**
300 x 3.6	272413X	272418X	**4.75**
300 x 4.8	2514946X	4514189X	**1.76**
300 x 7.6	2514947X	2514964X	**3.77**
370 x 4.8	272414X	272419X	**6.40**
370 x 7.6	2514948X	4520036X	**4.51**
430 x 4.8	2514949X	2514965X	**3.01**
430 x 9.0	2514950X	2514966X	**7.67**
450 x 7.6	2514951X	2514967X	**6.24**
480 x 13.0	2514952X	2514968X	**17.66**
530 x 9.0	2514953X	2514969X	**9.64**
540 x 7.6	2514954X	2514970X	**9.75**
580 x 13.0	2514955X	2514971X	**21.47**
710 x 9.0	2514956X	2514972X	**14.04**
780 x 9.0	2514957X	2514973X	**17.25**
1030 x 13.0	2514958X	2514974X	**40.06**

SADDLE MOUNTS & EYELETS

13% off

- Position the saddle mount and secure with a screw
- Working temperature -40°C to +80°C
- Available in packs of 100

224529

Order code	Description	Cable tie max width (mm)	Price per pack
2515012X	Eyelet	4.8	**3.90**
2515013X	Saddle mount	4.8	**3.58**
2515014X	Saddle mount	9.0	**3.90**

RELEASABLE CABLE TIES

13% off

- Manufactured from Nylon PA66
- Resistant to most oils, grease, petrol and detergents
- Working temperature -40°C to +85°C
- 4.8mm ties are manufactured with a longer tooth for release, 7.6mm ties have a seperate unlocking mechanism
- UL approved
- Available in packs of 100

224528

Order code	Length x width (mm)	Price per pack
2515002X	200 x 4.8	**3.42**
2515003X	300 x 4.8	**5.14**
2515004X	370 x 4.8	**7.58**
2515005X	200 x 7.6	**6.26**
2515006X	250 x 7.6	**6.67**
2515007X	300 x 7.6	**7.13**
2515008X	370 x 7.6	**8.26**

MASONRY MOUNTS

13% off

224527

- Simply knock a masonry mount into a pre-drilled 7mm hole and thread the cable tie through the head to secure the fixing
- Suitable for use with all cable ties up to 9mm diameter
- Working temperature -40°C to +80°C
- Available in packs of 100

ORDER CODE **2515011X**

OFFER PRICE **£6.39**

MARKER CABLE TIES

13% off

- Allows you to identify particular bundles of wires an looms
- Flat rectangular area for labelling or writing on with an indelible marker
- Resistant to most oils, grease, petrol and detergents
- Working temperature -40°C to +85°C
- UL approved
- Available in packs of 1000

224526

Order code	Length x width (mm)	Price per pack
2515009X	100 x 2.5	**21.28**
2515010X	200 x 4.8	**61.34**

HOOK & LOOP CABLE TIES

13% off

224525

- Manufactured from black polyamide looped jersey laminated on polyester
- Working temperature up to 100°C
- Standard UL94V2 and FAR25-853
- Available in packs of 100

Order code	Length x width (mm)	Price per pack
2515000X	225 x 13	**39.43**
2515001X	325 x 13	**45.50**

FOOD INDUSTRY CABLE TIES

13% off

- Manufactured specifically for the food industry
- Ties contain particles of metal enabling detection by a metal detector
- Available in blue only in packs of 1000

224524

Order code	Length x width (mm)	Price per pack
2515015X	150 x 3.6	**89.87**
2515016X	200 x 4.6	**120.71**
2515017X	385 x 4.6	**136.18**

3 PIECE BLUE GROOVE POWER AUGER BIT SETS

25% off

- 50 Times the life of a traditional flat bit
- Bi-Metal construction with High Speed Steel cutting edges
- Solves the problem of drilling into screws or nails embedded in timber
- Ideal for Plumbers, Electricians, Joiners & MRO Industry

210386

Order code	Contents	Offer price
2007100X	14, 16, 18mm	**24.65**
2007101X	20, 22, 25mm	**27.25**

PROFESSIONAL TAPE MEASURES

25% off

- Plastic case with full Pro-Touch grip
- Fast lock blade hold
- Nylon coated blade
- 2x life of Standard Irwin blade coating
- Double sided Imperial/Metric blade print
- Hook magnets
- Extended length of hook panel for durability

217657

Order code	Blade Length Metre	Feet	Blade Width mm	Stand out Metre	Offer price
2013894X	3m	10'	16	1.4	**4.15**
2013897X	5m	16'	19	1.8	**7.10**
2013898X	8m	26'	25	2.3	**8.30**

PRO ENTRY VICE 4"

25% off

- 4"/100mm Jaw Capacity
- 1,500kg holding pressure
- Cast from "close grained" grey iron for strength
- Anvil incorporated
- Replaceable jaws
- Safety stop prevents the main slide from being separated from the body

A swivel base can be added if required

210294

Order code	Description	Offer price
2007134X	Vice	**21.35**
2077523X	Swivel base	**6.55**

25% off

IRWIN VISE-GRIP

3PC "TIGHT GRIP" CURVED JAW LOCKING PLIERS SET

Vise Grip - the "Original" locking plier since 1924

- New design - patented "Self Energizing" lower jaw ensures work does not slip under heavy torque
- Pivot action of lower jaw now ensures non stripage of work piece
- 3X more gripping power over conventional locking pliers
- Jaw mechanism provides maximum torque without requiring excessive input pressure
- Ideal for gripping multi material shapes such as pipes, sqauare section, hex bolts etc

217712

Order code	Set contents	Offer price
2013903X	5CR. 7CR, 10CR Locking Pliers	**25.50**

SEE THE NEW SPANNERS & SOCKETS PRODUCT RANGE!

8PC METRIC COMBINATION WRENCH SET

30% off



- 12 point OGV® ring angled at 15°
- Open end angled at 15° from handle axis
- OGV® profile maximising the contact surface with the nut for a longer life
- forged in chrome vanadium steel
- High chrome finish
- ISO691 - ISO1711-1 - ISO7738 - DIN3113
- Set Comprises of sizes 8,10,11,13,17,19,22,24mm

220166

OFFER PRICE £26.25

ORDER CODE **2015042X**

16PC METRIC COMBINATION WRENCH SETS

30% off

- Forged in chrome vanadium steel and finished in a high chrome
- Spanners feature a 12 point OGV® ring at 15° and an open end angled at 15° from the handle axis
- The OGV profile maximises the contact surface with the nut for a longer life time

224150

Set contains:

- 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22 & 24mm

OFFER PRICE £43.00

ORDER CODE **2015045X**

12PC A/F COMBINATION WRENCH SET

30% off

- Forged in chrome vanadium steel and finished in a high chrome
- Spanners feature a 12 point OGV® ring at 15° and an open end angled at 15° from the handle axis
- The OGV profile maximises the contact surface with the nut for a longer life time

20-14175

Set contains:

- 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16" A/F

OFFER PRICE £39.99

ORDER CODE **2015046X**

18 PIECE COMBINATION WRENCH SET

30% off



- Conforms to standards ISO 691 - ISO 1711-1 - ISO 3318 - ISO 7738 - DIN 3113
- 12-point OGV® ring angled at 15°
- Open end angled at 15° from handle axis
- OGV® profile maximizing the contact surface with the nut for a longer lifetime
- Forged in Chrome Vanadium steel
- High chrome finish
- Contains sizes: 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24mm

219197

OFFER PRICE £54.10

ORDER CODE **2014083X**

METRIC FLARE NUT SPANNER SET

30% off

- Forged in chrome vanadium steel and finished in a high chrome
- These spanners feature a 12 point OGV® ring at 15° and an open end angled at 15° from the handle axis
- 6 point heads up to 12x14 and 12 point heads on larger sizes
- DIN3118 - ISO691
- 5 spanners

224567

Set contains - 7x9,8x10,11x13,12x14,17x18mm

OFFER PRICE £31.35

ORDER CODE **2014058X**

METRIC FAST RATCHET COMBINATIONS SPANNER SET

30% off

- Forged in chrome vanadium steel and finished in a high chrome
- These spanners feature a 12 point polygon head at 15°, ratchet effect open end angled at 15° from the handle axis and 5° increment
- The OGV profile maximises the contact surface with the nut for a longer life time
- ISO691-ISO1711-11-1

224568

Set Contains

- 12 spanners, sizes 8,9,10,11,12,13, 14,15,16,17,18,19mm

OFFER PRICE £73.85

ORDER CODE **2015848X**

7PC STUBBY RACHET RING METRIC WRENCH SET

30% off

- Increment 5°
- 12 point polygon head at180°
- open end angled at 15° from handle axis
- OGV® profile maximising the contact surface with the nut for a longer life
- short wrenches for better accessibility in confined spaces
- forged in chrome vanadium steel
- High chrome finish
- ISO691 - ISO1711-1

220168

Set Comprises of sizes 10,12,13,14,15,17,19mm

OFFER PRICE £34.45

ORDER CODE **2014192X**

3/8" DRIVE PEAR HEAD RATCHET

25% off

- With a compact head for ease of access and a palm control system
- For easy reversal even with gloves or greasy hands.This ratchet features a dustproof, maintenance free mechanism, 5° increment lightweight body, hook for working at height and an ergonomic comfort grip handle

224574

ORDER CODE **2017919X**

OFFER PRICE £24.25

1/4" DRIVE PEAR HEAD RATCHET

25% off

- With a compact head for ease of access and a palm control system.
- For easy reversal even with gloves or greasy hands
- This ratchet features a dustproof, maintenance free mechanism, 5° increment lightweight body, hook for working at height and an ergonomic comfort grip handle

224573

ORDER CODE **2017918X**

OFFER PRICE £21.15

22PC 3/8" DRIVE METRIC SOCKET SET

30% off

A 22 piece square drive socket set packaged in a case with metal clasps, it also converts into a modular storage system for use in roller cabinets.

Set consists of:-
3/8" Hex 12 point sockets
6,7,8,9,10,11,12,13,14,15,16,17,18,19,21,22,24mm
3/8" Ratchet
3/8" Extensions 75mm and 125mm
3/8" Socket bit holder 1/4"
3/8" Universal joint

224571

ORDER CODE **2014000X**

OFFER PRICE £41.05

101PC 1/4" & 1/2" DRIVE METRIC SOCKET & SPANNER SET

30% off

A 101 piece mixed square drive socket set packaged in a case with metal clasps. It also converts into a modular storage system for use in roller cabinets.

Set consists of :-
1/4" Hex sockets
4,4.5,5,5.5,6,7,8,9,10,11,12,13,14m
1/4"Hex screwdriver Sockets 3,4,5,6mm
1/4" Screwdriver sockets Pozidriv®PZ1,PZ2, Phillips® PH1,PH2
1/4"Torx ®screwdriver sockets T8,T10, T15, T20, T25,T27,T30
1/2" Hex Sockets
10,11,12,13,14,15,16,17,18,19,20,21,22,24,27,30, 32mm
1/2"Hex Long Sets 13,17,19mm
1/4" slotted head screwdriver sockets 4,5.5,7mm
5/16" Slotted head bits 8,12mm
5/16 "Phillips® Bits PH3
5/16" Pozidriv ®bit PZ3
5/16" Hex Bits 12,14mm
5/16"Torx® Bits T40, T45, T50, T55
Hex key set in a case
1.5,2.2.5,3,4,5,6,7,8,9,10mm
Combination Spanners
7,8,10,11,12,13,14,15,16,17,18,19mm
1/4" Locking meter ratchet
1/4" Coupler
1/4" Extensions55mm, 100mm
1/4" "T" Handle
1/4" Bimaterial screwdriver handle
1/2" Meter Ratchet
1/2" Universal joint
1/2" Extensions 130mm,250mm
1/2" "T" Handle
1/2" Spark plug sockets
16mm,21mm

224572

ORDER CODE **2014823X**

OFFER PRICE £133.60

73PC 1/4" DRIVE METRIC AF SOCKET SET

30% off

The lid can be easily detached to convert the set into a modular storage system for use in roller cabinets.

Set Contains
- 6 point standard sockets 4,4.5,5,5.5, 6,7,8,9,10,11,12,13,14mm
- 6 point Long Sockets 5, 5.5, 6, 7,8,10,11,12,13mm
- 12 point sockets 1/2", 1/4", 11/32", 3/16", 3/8", 5/16", 7/16", 7/32", 9/16", 9/32"
- Socket head screwdriver sockets 4,5.5,7mm
- Pozidriv screwdriver sockets PZ1,PZ2,PZ3
- Phillips screwdriver sockets PH1,PH2,PH3
- Torx screwdriver sockets T6,T7,T8,T9,T10,T15,T20,T25,T30,T40
- Torx Sockets E4, E5, E6, E7,E8,E10
- 6 point screwdriver sockets 2,2.5, 3,4,5,6,7,8mm
- 1/4" ratchet
- 1/4" sliding T handle
- 1/4" extensions 50mm, 100mm, 150mm
- 1/4" Bi Material screwdriver handle
- 1/4" universal Joint
- 1/4" coupler for 1/4" tips

224570

ORDER CODE **2013997X**

OFFER PRICE £57.90

35PC 1/4" SOCKET SET

30% off

219195

- 1/4" Hex sockets: 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14mm
- Slotted head screwdriver bits: 4-5.5-6.5mm
- Pozidriv bits: PZ1-PZ2-PZ3
- Resis Torx tips: T10-T15-T20-T25-T30-T40
- Hex bits: 4-5-6mm
- 1/4" tip adapter
- 1 1/4" 50mm extension
- 1 1/4" 100mm extension
- 1 1/4" universal joint
- 1 bimaterial screwdriver handle
- 1 1/4" ratchet
- Packaged in socket set case with metal clasps - also converts into a modular storage system for use in roller cabinets

224575

ORDER CODE **2014825X**

OFFER PRICE £37.95

SMARTMIG 142

10% off

- Single phase 2 in 1 Gas/No Gas MIG welding machine
- 40 to 140 Amp
- Suitable for wire diameter Ø 0.6mm – 0.8mm
- Features innovative simple control panel, enabling accurate set up in seconds, simply select wire diameter, metal thickness and then weld
- Comes complete with fixed torch and earth clamp

Input voltage 230V
Fuse size 13A
Output open circuit voltage 30-41
Duty cycle 50A
Duty cycle 60A
Duty cycle 140A (@10%)

224635

OFFER PRICE £260.00

ORDER CODE **2021109X**

10.8VL-I MONSTER KIT

- Cordless Monster Kit comprises of the following tools:

5% off

GDR 10.8VLIN impact driver
- Impact rate: 0-3000 ipm
- Max Torque: 100 Nm

GWI 10.8VLIN swivel driver
- Max torque Nm: 5 Nm, (hard joint): 18 Nm
- Max screw diameter: 5 x 50 mm
- Max drilling in wood/steel: 10/8 mm

GLI 10.8VLIN torch
- GOP 10.8V-LI multi-tool
- Oscillations of sanding pad: 5000-20,000rpm

GSR 10.8VLI-2 heavy duty drill driver
- No Load Speed: 1st/2nd: 0400/0-1100 rpm
- Torque (hard/soft): 30/11 Nm
- Max drilling wood (auger/forstner) /steel: 19+30 /10m
- Max screw diameter: 7mm

224700

- Supplied with 3 x 1.3Ah Li-ion batteries, 30-min charger + carrybag

OFFER PRICE £297.00

ORDER CODE **2022767X**

MARSB13 SOCKET TEST ADAPTOR

15% off

The SB13 is a simple way to test at socket outlets without the need to remove the socket from the wall. Commonly used for carrying out R1/R2 tests plus R2 measurements, the SB13 features three standard 4mm banana sockets, making it universally compatible with most test leads.
Description - MARSB13

224599

OFFER PRICE £15.25

ORDER CODE **2023520X**

MARBZ101 BUZZ-IT CHECK PLUG

15% off

- Detects up to 28 faults
- Fast and easy way to ensure 13A sockets are wired correctly
- Gives an audible signal in addition to the three LEDs lighting when the wiring is correct, allowing for awkwardly placed, or not easily visible, sockets to be checked quickly
- Can also be used as a basic fuse finder - when the correct fuse is pulled the buzzer stops!

224147

Specifications

Mains supply	200-250V (30-70Hz)
Operating temperature	(-10 to 40°C)
Storage temperature	-40 to 140°F (-40 to 60°C)
Earth leakage	< 5mA
Overvoltage	CAT II/300V

OFFER PRICE £14.90

ORDER CODE **2023543X**

MARCM54 1000A CLAMP METER

The Martindale CM54 is a low cost 1000A AC clamp meter, with basic multimeter functions. It has a large jaw diameter at 57mm, capable of clamping round a 70 x 18mm busbar. Along with AC current, this clamp meter will also measure AC & DC volts, resistance, continuity, and includes Max & Hold buttons.
The Martindale CM54 is supplied with standard test leads, carry case and battery.
Description - MARCM54.

Features: 1000A AC, Mulitimeter Functions, 3 ½ digit LCD with large 21mm digits.

SAFETY INFORMATION
The instrument complies with class II overvoltage CAT III 1000V of the IEC1010-1 (EN61010-1) ; UL3111-1; and CAN/CSA C22.2 #1010.1-92 standards, pollution degree 2 in accordance with IEC-664 indoor use.

10% off

224601

OFFER PRICE £84.15

ORDER CODE **2023512X**

MARVT2 NON-CONTACT VOLTAGE INDICATOR

- For voltages between 200 and 1000 Volts
- Safe, easy to use and comfortably fits into a pocket
- Tip illuminates red when AC Volts are detected
- Locates breaks in cables
- Detects blown fuses inside plugs or fuse holders
- Finds voltage carrying cables in junction boxes
- Detects faulty in-line switches
- Over voltage: CATIII 1000V
- Uses 2 x AAA batteries (supplied)
- 2 year warranty

15% off

224174

OFFER PRICE £13.60

ORDER CODE **2023521X**

SEE THE NEW TEST EQUIPMENT RANGE!

MARMM34 **GENERAL PURPOSE MULTIMETER**

15% off

The MM34 is a general purpose multimeter, suitable for a range of standard applications. It has four main functions, AC Volts, DC Volts, DC Amps and Ohms, along with a diode test and battery test. Readings are clearly displayed on the large LCD and it's ergonomic design makes it comfortable to hold and the rotary dial makes selection of the required range simple. The MM34 is supplied with standard test leads, battery and instruction manual.
Description - MARMM34

Features:	20MΩ Resistance
600V AC / DC	1.5V & 9V battery test
10A DC	Continuity test

This instrument complies with class II, overvoltage CAT III, 600V of the IEC1010-1 (EN61010-1) standard and pollution degree 2 in accordance with IEC-664 indoor use.

ORDER CODE **2023524X**

OFFER PRICE £24.65

233 **MULTIMETER**

5% off

- True-rms ac voltage and current for accurate measurements on non-linear signals
- Measure up to 1000 V ac and dc
- Measure up to 10 A (20 A for 30 seconds)
- 10,000 F capacitance range
- Frequency to 50 kHz
- Built in thermometer conveniently allows you to take temperature readings without having to carry a separate instrument
- Resistance, continuity and diode test
- Low power wireless technology allows the display to be carried up to 10 meters (33 ft) away from the point of measurement for added flexibility. No interference with measurements
- The removable magnetic display can be conveniently mounted where it is easily seen
- Make measurements without holding the meter to improve visual focus on probes and augment safe electrical measurements
- Use as a conventional multimeter when the display is connected
- Radio transmitter automatically turns off when the display is connected to the meter
- Auto power off maximizes battery life
- Min/Max and Average recording to capture variations automatically
- Test continuity and diodes
- Easy to read display with large digits and bright backlight
- Battery life approximately 400 hours

218761

ORDER CODE **2015510X**

OFFER PRICE £224.20

VP-710 **VOLTAGE** AND CONTINUITY TESTER

Functions include Voltage test, Two pole phase rotation indication, "no third hand required", Single pole test for phase polarity, Continuity test. These testers feature a Switchable Load of 140 W with two push buttons, tripping of 30 mA RCD, Automation AC/DC voltage indication, indication of polarity, IP 64, splash-proof and dust-tight protection and Probe tip protection for reducing the danger of injuries (attached to lead being permantly available).
The tester has no unawared tripping of RCD, Quick single-hand on 19 mm contact distance outlets, without removing test probe from instrument, a Torch function via white LED.

- It is Built and certified according latest voltage tester standard EN-61243-3:2010, DIN VDE 0682-401:2011

224606

20% off

ORDER CODE **2017343X**

OFFER PRICE £31.20

MARMM84 TRUE **RMS MULTIMETER**

The MM84 is the top of the range digital multimeter, combining a 4 ½ digit LCD display, with a basic accuracy of 0.05% and true RMS capability. Accurately measuring AC & DC voltage, frequency, 20A AC & DC current, this excellent multimeter also features a continuity buzzer, audible wrong range warning and data hold to freeze the current reading. The combination of high specification and the wide range of capabilities make it outstanding value for money. The Martindale MM84 digital multimeter is supplied with standard test leads, rubber holster, battery and instruction manual.
Description - MARMM84

224604

Features:	15% off	20MΩ Resistance
750V AC,		Continuity
1000V DC		Diode & logic tests
20A AC / DC		200kHz Frequency

ORDER CODE **2023529X**

OFFER PRICE £127.10

FLUKE 373 TRMS **CLAMP METER**

This Clamp Meter offers improved performance perfect for any ac only current measurement situations. Featuring true-rms ac voltage and current measurements, and resistance measurement up to 6000 Ω with continuity detection.

Features and benefits

600 A ac current measurement with fixed jaw
600 V ac and dc voltage measurement
State of the art signal processing allows for use in noisy electrical environments while providing stable readings
CAT IV 300 V, CAT III 600 V
True-rms ac voltage and current for accurate measurements on non-linear signals
Large, easy to read backlight display automatically sets the correct measurement range so you do not need to change the switch positions while taking a measurement.

5% off

224607

Three-year warranty
Soft carrying case
Safety conformance EN/IEC 61010-1:2001; 600V CAT III, 300V CAT IV

ORDER CODE **2015499X**

OFFER PRICE £155.80

SEE THE NEW PPE PRODUCT RANGE!

EVOLITE EN397 **SAFETY HELMET**

- The lighest EN397 helmet, weighing less than 300 grams
- The most comfortable thanks to its weight and 6 point Terylene cradle harness
- Egyptian cotton core sweatband PH neutral, dermatologically tested
- Adjustable for small, medium and large heads

224637

Order code	Colour	Offer price
2020964X	White	**8.51**
2020965X	Yellow	**8.51**
2020966X	Blue	**8.51**

JSP

UVEX **SUPER FIT**

- Ergonomic, sporty design
- Ultra thin but robust lens makes this spectacle extremely lightweight
- The permanent anti-fog and scratch-resistant lens coating gives uncompromised safety and excellent value for money
- Fits most facial shapes and sizes
- Conforms to EN166 1F KN
- 100% UV protection
- Clear lens – suitable for virtually all light conditions and workplace environments

3M

224640

Order code	Lens colour	Offer price
2018159X	Clear	**14.07**
2018160X	Grey	**14.07**
2018161X	Amber	**14.07**
2018162X	Silver Mirror	**14.07**

EVOLITE CR2 EN397 **SAFETY HELMET WITH CR2 REFLECTIVITY**

- Lightweight
- Class R2 reflective sticker decal offering 20% more reflectivity than standard lower grade reflective material
- 6 point terylene cradle harness system
- Large logo print area

224235

JSP

Order code	Colour	Offer price
2024669X	White	**13.03**
2024670X	Yellow	**13.03**
2024671X	Orange	**13.03**

TORA

- Lenses and temples in combined colours intensify the contemporary smart look
- 9D base curved lens offers excellent peripheral version and perfect lateral side protection
- Extremely lightweight at 22g
- Supplied with an adjustable and easy to detach headband
- EN166-1

Order code	Colour lens	Offer price
2004148X	Clear	**2.86**
2004149X	Bronze	**3.15**
2004150X	Amber	**3.15**

DOMINUS ROBORIS **BLACK NON-METALLIC SAFETY SHOE**

224254

S3 SRC

- Leather upper
- PU anti-abrasion toe cap
- 3D lining
- Light Plus composite PU toe cap
- Tri Master high comfort anti-static footbed aids ventilation
- Dominus lightweight dual density PU W-Tech wrapping sole
- Flex system composite pierce resistant midsole

Order code	Size	Offer price
2017471X	6	**36.65**
2023673X	7	**36.65**
2023674X	8	**36.65**
2023675X	9	**36.65**
2023676X	10	**36.65**
2023677X	11	**36.65**
2023678X	12	**36.65**

UVEX CARBONVISION **GOGGLE**

uvex

- Low profile wrap around style goggle
- Closing fitting with smaller dimensions than most traditional goggles
- Less obtrusive allowing for increased flexibility of movement
- Lightweight goggle
- Excellent, permanent anti-fog and scratch-resistant lens coating
- Combines hard and soft components creating a soft effective seal around the eyes
- High levels of dust and splash protection
- Wide fully adjustable head strap fits all head shapes and provides a secure pressure free fit
- Conforms to EN166 1B KN 34
- 100% UV protection
- Clear lens – suitable for virtually all light conditions and workplace environments

ORDER CODE **2018175X**

OFFER PRICE **£9.91**

MAXIMA™ HEAVY DUTY NATURAL RUBBER GLOVE - FLOCK LINED

- Good abrasion and tear resistance
- Good wet and dry grip
- Flock lining absorbs perspiration, keeping hands cool

Length: 30cm
Case Quantity: 12 pairs per polybag
Thickness: 0.65mm (Single Wall measured at palm)

224643

Order code	Size	Offer price per pair
2017436X	S	**1.63**
2021005X	M	**1.63**
2021006X	L	**1.63**
2021007X	XL	**1.63**

G43Y TRIPLE DIPPED **LATEX/NITRILE GLOVE**

- Triple dip yellow rubber latex gloves, coated with yellow nitrile for longer life
- Long flock lined cuff for protection and comfort
- Good resistance to oils, fats, chemicals and detergents
- Good grip, sensitivity and beaded cuff for easy donning and tear resistance
- Length / Thickness (double wall) : 320 mm / 1.00 mm
- For use with light chemical applications, automotive assembly, printing, painting and food processing

224644

Mongoose

Order code	Size	Offer price per pair
2022212X	8	**1.67**
2022213X	9	**1.67**
2022214X	10	**1.67**
2022215X	11	**1.67**

2120 MASKING TAPE

3M

8% off



- General purpose masking tape for room temperature applications
- Applications include masking, bundling, sealing and labelling
- Temperature range upto 30°C
- Roll length 50m

224520

Order code	Width (mm)	Offer price
2515107X	19	**0.80**
2515108X	25	**1.06**
2515109X	38	**1.62**
2515110X	50	**2.14**
2515111X	75	**3.18**
2515112X	100	**4.26**

2321 MASKING TAPE

8% off

- Chamois coloured creped paper masking tape suitable for short term paint masking
- Suitable for applications up to a temperature of 70°C for one hour
- 50m length rolls

220231

3M

Order code	Width (mm)	Offer price
2016665X	19	**0.66**
2016666X	25	**0.91**
2016667X	38	**1.35**
2016668X	50	**2.60**
2016669X	75	**2.69**
2016670X	100	**3.58**

1104 MASKING TAPE

8% off

3M

- Low tack masking tape
- Less aggressive bond which prevents the lifting of paint or other surface coatings
- Temperature range up to 135°C
- Roll length 50m

224519

Order code	Width (mm)	Offer price
2515128X	25	**1.69**
2515129X	50	**3.38**
2515130X	75	**5.08**
2515131X	100	**6.77**

2610 MASKING TAPE

- Moisture and solvent resistant heavy duty masking tape
- Suitable for UV curing and repeat bake cycles
- Temperature range up to 160°C
- Roll length 50m

3M

224522

Order code	Width (mm)	Offer price
2515122X	19	**1.90**
2515123X	25	**2.50**
2515124X	38	**3.80**
2515125X	50	**5.00**
2515126X	75	**7.45**
2515127X	100	**10.00**

2364 MASKING TAPE

3M

8% off

- Moisture and solvent resistant heavy duty masking tape
- Temperature range up to 100°C
- Roll length 50m

224521

Order code	Width (mm)	Offer price
2515119X	25	**2.35**
2515120X	38	**3.57**
2515121X	50	**4.69**

202 MASKING TAPE

3M

8% off

- High strength masking tape
- Moisture and solvent resistant to withstand significant tensile stress without lifting or curling at the edges
- Temperature range upto 95°C
- Roll length 50m

224518

Order code	Width (mm)	Offer price
2515113X	19	**2.78**
2515114X	25	**3.66**
2515115X	38	**5.55**
2515116X	50	**7.31**
2515117X	75	**10.97**
2515118X	100	**14.62**

FROGTAPE MASKING TAPE

8% off

- Painters masking tape features a unique super absorbent polymer along the tape edge that attracts the moisture in emulsion paints creating a micro barrier
- Results in sharp lines saving time and money and making touch-ups a thing of the past
- Suitable for use on painted walls, wood trim, glass and metal both internal and external

Roll length 41.1m

220238

Order code	Width (mm)	Offer price
2015928X	24	**4.67**
2015929X	36	**5.45**

phone

Call your local branch on 08450 510150
See the 'Branch Locator' section at www.buckandhickman.com for opening times

payment

Buck & Hickman credit account. Contact your local branch for details.
We accept MasterCard, Visa, Debit cards and Corporate Purchasing cards.

account opening

Simply complete a credit application form, ask your local branch for details.
With a satisfactory Experian rating your account will be opened immediately.
If you are not Experian rated an account will be opened with an initially agreed credit limit. All account openings are subject to status.

same day despatch

Orders placed before 5:00pm will be delivered next working day
*Except for certain bulky items.
Orders placed on a Friday will be delivered the following Monday.

carriage

Free delivery on orders over £50 + VAT*
*Except for certain bulky items.
Carriage may be charged on deliveries under £50 dependent on size and weight

pricing

The prices shown in this Buck & Hickman publication are net prices.
All prices are exclusive of VAT.

marketing literature

We aim to bring your attention to products that we feel you may be interested in.
If you do not wish to receive any further mailings from Buck & Hickman, write to Marketing Department, Buck & Hickman, PO Box 3315, Coventry CV3 4YZ

terms and conditions

All orders from this document are subject to Buck & Hickman's terms and conditions as set out in its main catalogue from time to time. A copy may be obtained on request by calling 02476 306444
Buck & Hickman endeavours to ensure that the information in this promotion is correct, but does not accept any liability for any error or omission herein. All rights reserved. No part of this publication may be reproduced or transmitted in any form without written permission of the copyright holder.
The Company is a business to business supplier. The Catalogue and any specialogues and other product brochures produced by the Company are intended for use by business customers and not consumers. By ordering, the Customer confirms that he, she or it wishes to obtain the Supplies for the purposes of his, her or its business and not as a consumer.

DELTA MasterCard Maestro VISA Corporate Purchasing Cards

Shell Lubricants

DESIGNED TO MEET CHALLENGES

SHELL LUBRICANTS

As of 2012, Buck & Hickman and Shell have been working together with a distribution agreement in place, whereby Buck & Hickman's customer base can now enjoy the benefits of and have access to Shell Lubricants Products. Buck & Hickman join a small number of strategically chosen distributors which make up Shell's Distributor Network in the UK. For more information on Shell products available via Buck & Hickman, please contact Buck & Hickman directly.

ABOUT SHELL LUBRICANTS

For the fifth consecutive year, Shell has been named the number one global lubricants market share leader - selling more lubricants in 2011 than any other company in the world, according to the independent worldwide consulting and research firm, 1Kline & Company. We manufacture and manage a diverse range of products and services for motorists, transport providers and industrial applications; from consumer motoring to mining and power generation to commercial transport.

CUTTING-EDGE TECHNOLOGY AND INNOVATION

We are passionate about cutting-edge technology and innovation, Our in-house research and development professionals combine knowledge, capability and innovation to deliver solutions that add real value to our customers' businesses and our investment in technology means we are often the first to market new products and services designed to provide superior protection and efficiency. We work with some of the world's biggest brands and original equipment manufacturers who trust us to deliver technically excellent products. Our technical partnerships with motorsports champions Ferrari and Ducati teams in Europe allow us to test our products in extreme conditions and transfer leading technology from the race track to commercial products.

PREFERRED PARTNER

Our aim is to be the best, most reliable and easiest partner to do business with and use this as the basis to develop long term relationships with our customers and distributors. We work closely with our customers to develop a deep understanding of the challenges they face which means we are able to advise them on the most effective products and services to meet their needs today and work closely with them to develop solutions for tomorrow.

PREFERRED

Choosing the right lubricants and services can improve our bottom line. Our technology-leading lubricants can help you reduce your process and equipment-ownership costs (such as maintenance) and enhance your components' performance by providing:

- Enhanced protection
- Extended oil and equipment life
- Improved energy and efficiency.

Whatever your needs or application, Shell can offer a full range of oils and greases, including synthetic, high performance products designed to provide excellent protection, long lubricant life and system efficiency. In addition, Shell lubricants offers an extensive range of lubricant related services designed to help you maximize the positive impact of lubricants on your operations.

For more information visit www.shell.co.uk/lubricants

The terms "Shell Lubricants", "Shell", "us" and "our" collectively refer to Shell Group companies engaged in the lubricants business. 1Kline & Company's report 'Global Lubricants Industry 2010: Market Analysis and Assessment'

Buck & Hickman, a division of Brammer UK Ltd
Registered Office: Claverton Court, Claverton Road, Wythenshawe,
Manchester M23 9NE.
Registered No. 569290 England. VAT Registered GB 305 9559 42

www.buckandhickman.com

Prices exclude VAT